— WE CREATE MOBILE WORKPLACES —

RENAULT

Express, Kangoo, Trafic & Master

SYSTEM EDSTRÖM

RENAULT EXPRESS VAN

Suggested hours is the recommended mounting time for experienced retailers.

On electric and hybrid vans we recommend mounting by an experienced installer. Batteries and cable harnesses for approximately 400 volt must be taken in consideration. Cost of a floor may be added.

Art.No	LxDxH	Kg	Hr.
F42301	848x300x890 mm	18	2,1

Art.No	LxDxH	Kg	Hr.
F42300	1239x300x890 mm	23	2,1



Art.No	LxDxH	Kg	Hr.
F42303	894x300x890 mm	32	3,2

Art.No	LxDxH	Kg	Hr.
F42302	1239x300x890 mm	34	2,9



Art.No	LxDxH	Kg	Hr.
F42305	894x300x890 mm	41	3,3

Art.No	LxDxH	Kg	Hr.
F42304	1239x300x1075 mm	44	3,4



Art.No	Height	Kg	Hr.
F42310	190	73	6,3



Art.No	Height	Kg	Hr.
F42311	250	73	6,1

Art.No	Height	Kg	Hr.
F42312	360	89	6,3

RENAULT KANGOO L1

Suggested hours is the recommended mounting time for experienced retailers.

On electric and hybrid vans we recommend mounting by an experienced installer. Batteries and cable harnesses for approximately 400 volt must be taken in consideration. Cost of a floor may be added.

Art.No	LxDxH	Kg	Hr.
F42321	848x300x890 mm	17	2,9

Art.No	LxDxH	Kg	Hr.
F42320	1239x300x890 mm	23	2,1

Art.No	LxDxH	Kg	Hr.
F42323	804x300x890 mm	31	3,2

Art.No	LxDxH	Kg	Hr.
F42322	1239x300x890 mm	32	2,9

Art.No	LxDxH	Kg	Hr.
F42325	804x300x890 mm	40	3,3

Art.No	LxDxH	Kg	Hr.
F42324	1239x300x890 mm	43	3,7

Art.No	Height	Kg	Hr.
F42330	190	76	6,3

Art.No	Height	Kg	Hr.
F42331	250	75	6,1

Art.No	Height	Kg	Hr.
F42332	360	90	6,3

RENAULT TRAFIC L1H1

Suggested hours is the recommended mounting time for experienced retailers.

On electric and hybrid vans we recommend mounting by an experienced installer. Batteries and cable harnesses for approximately 400 volt must be taken in consideration. Cost of a floor may be added.

Art.No	LxDxH	Kg	Hr.
F40841	1107x300x1000 mm	40	3,1

Art.No	LxDxH	Kg	Hr.
F40840	1998x300x1000 mm	34	2,9

Art.No	LxDxH	Kg	Hr.
F40843	1107x300x1000 mm	47	5,0

Art.No	LxDxH	Kg	Hr.
F40842	1998x300x1220 mm	59	4,4

Art.No	LxDxH	Kg	Hr.
F40845	1147x300x1220 mm	51	5,0

Art.No	LxDxH	Kg	Hr.
F40844	1998x300x1000 mm	52	4,0

Art.No	Height	Kg	Hr.
F40850	190	107	7,5

Art.No	Height	Kg	Hr.
F40851	250	123	7,8

Art.No	Height	Kg	Hr.
F40852	360	137	7,8

RENAULT TRAFIC L2H1

Suggested hours is the recommended mounting time for experienced retailers.

On electric and hybrid vans we recommend mounting by an experienced installer. Batteries and cable harnesses for approximately 400 volt must be taken in consideration. Cost of a floor may be added.



Art.No	LxDxH	Kg	Hr.
F40861	1530x300x1220 mm	62	3,3



Art.No	LxDxH	Kg	Hr.
F40860	2356x300x1220 mm	48	3,1

Art.No	LxDxH	Kg	Hr.
F40863	1500x300x1000 mm	63	5,0

Art.No	LxDxH	Kg	Hr.
F40862	2356x300x1000 mm	57	4,5

Art.No	LxDxH	Kg	Hr.
F40865	1500x300x1000 mm	83	5,5



Art.No	LxDxH	Kg	Hr.
F40864	2356x300x1220 mm	66	4,3

Art.No	Height	Kg	Hr.
F40870	190	109	7,5

Art.No	Height	Kg	Hr.
F40871	250	125	7,8

Art.No	Height	Kg	Hr.
F40872	360	139	7,8

RENAULT MASTER L1H1

Suggested hours is the recommended mounting time for experienced retailers.

On electric and hybrid vans we recommend mounting by an experienced installer. Batteries and cable harnesses for approximately 400 volt must be taken in consideration. Cost of a floor may be added.

Art.No	LxDxH	Kg	Hr.
F40541	1108x300x1000 mm	41	3,1



Art.No	LxDxH	Kg	Hr.
F40540	2091x470x1220 mm	51	2,5



Art.No	LxDxH	Kg	Hr.
F40543	1197x300x1000 mm	47	3,3



Art.No	LxDxH	Kg	Hr.
F40542	2180x470x1220 mm	78	3,9



Art.No	LxDxH	Kg	Hr.
F40545	1108x300x1000 mm	57	3,6

Art.No	LxDxH	Kg	Hr.
F40544	2091x300x1515 mm	76	5,2

Art.No	LxDxH	Kg	Hr.
F40547	1063x470x1220 mm	55	2,8

Art.No	LxDxH	Kg	Hr.
F40546	2091x300x1220 mm	84	5,0

RENAULT MASTER L2H2

Suggested hours is the recommended mounting time for experienced retailers.

On electric and hybrid vans we recommend mounting by an experienced installer. Batteries and cable harnesses for approximately 400 volt must be taken in consideration. Cost of a floor may be added.



Art.No	LxDxH	Kg	Hr.
F40501	1287x300x890 mm	44	2,8



Art.No	LxDxH	Kg	Hr.
F40500	2449x470x1220 mm	56	2,5

Art.No	LxDxH	Kg	Hr.
F40503	1319x300x1220 mm	69	4,1



Art.No	LxDxH	Kg	Hr.
F40502	2449x470x1220 mm	86	3,9

Art.No	LxDxH	Kg	Hr.
F40505	1330x470x855 mm	100	4,1

Art.No	LxDxH	Kg	Hr.
F40504	2449x300x1515 mm	93	5,2

Art.No	LxDxH	Kg	Hr.
F40507	1242x470x1220 mm	61	2,8

Art.No	LxDxH	Kg	Hr.
F40506	2449x470x1510 mm	109	4,4

RENAULT MASTER L3H2

Suggested hours is the recommended mounting time for experienced retailers.

On electric and hybrid vans we recommend mounting by an experienced installer. Batteries and cable harnesses for approximately 400 volt must be taken in consideration. Cost of a floor may be added.



Art.No	LxDxH	Kg	Hr.
F40521	1892x300x1000 mm	83	4,1



Art.No	LxDxH	Kg	Hr.
F40520	3120x470x1220 mm	71	3,4



Art.No	LxDxH	Kg	Hr.
F40523	1924x300x1220 mm	96	4,8



Art.No	LxDxH	Kg	Hr.
F40522	3120x470x1220 mm	111	5,2



Art.No	LxDxH	Kg	Hr.
F40525	2071x470x855 mm	150	4,5

Art.No	LxDxH	Kg	Hr.
F40524	3086x300x1735 mm	144	8,5



Art.No	LxDxH	Kg	Hr.
F40527	1879x470x1220 mm	79	4,3

Art.No	LxDxH	Kg	Hr.
F40526	3054x470x1526 mm	148	5,0

RENAULT MASTER L4H2

Suggested hours is the recommended mounting time for experienced retailers.

On electric and hybrid vans we recommend mounting by an experienced installer. Batteries and cable harnesses for approximately 400 volt must be taken in consideration. Cost of a floor may be added.



Art.No	LxDxH	Kg	Hr.
F40561	2463x300x1000 mm	93	4,1



Art.No	LxDxH	Kg	Hr.
F40560	3691x470x1220 mm	82	3,4

Art.No	LxDxH	Kg	Hr.
F40563	2495x300x1220 mm	115	4,8



Art.No	LxDxH	Kg	Hr.
F40562	3780x470x1220 mm	139	5,2

Art.No	LxDxH	Kg	Hr.
F40565	2430x470x855 mm	199	6,1

Art.No	LxDxH	Kg	Hr.
F40564	3691x300x1735 mm	165	8,7



Art.No	LxDxH	Kg	Hr.
F40567	2271x470x1220 mm	89	4,3



Art.No	LxDxH	Kg	Hr.
F40566	3805x470x1526 mm	206	5,6

INFORMATION

GENERALLY

The kits include what you see in the drawing as well as installation parts, rubber mats to all shelves and foam to the drawers.
System Edström Bilinredningar AB is certified according to SS-EN ISO 9001:2015 to secure the administrative quality and to give us the possibility to keep a high accuracy on deliveries.

All material used in System Edström can be recycled to 100%. We are also certified according to SS-EN ISO 14001:2015.

REMEMBER

Now that you have chosen to have System Edström in your vehicle you have taken the first and most important step to make your mobile workshop safe and functional. From here on it is up to you how safe and functional your working place will be.

You as the driver has the full responsibility if you or any one else is injured if the cargo is poorly secured. It is also your responsibility to make sure that the interior is mounted in the safest way possible whatever your choice of workshop, even if they are professionals with knowhow and long experience.

Make sure NOT to exceed the maximum payload of the vehicle.

SECURITY

Our products are tested in two ways, the first and most important is two crashtests, one (ECE 17:07) performed by Milbrook in England and another one performed by Valutec in France (INRS NS286).
Learn more about us on our homepage, www.systemedstrom.com.

Vice

Depth	Width	Height	Kg	Part.No
360	135	140	10,3	5004

The forged vice is complete with pipe jaw and turning plate.
Max opening 140 mm.

Vice Holders

Depth	Width	Height	Kg	Part.No
1110	210	195	9,4	5012
1110	210	80	8,9	5013

Plate measurement 180x210 mm. Cover 2950 is included.



Gas bottle holder adjustable

Depth	Width	Height	Tube Ø	Kg	Part.No
150	300	97	< 300	0,9	2910

Liquefied petroleum gas P6 (bottles with 320 mm Ø can be stored after modification).



Pegboard tray

Depth	Width	Height	Kg	Part.No
82	200	80	0,5	4360
82	285	102	0,8	4362
122	455	122	1,5	4364
153	179	575	3,0	4370

A number of different trays that solve (almost) all storage problems.

Internal ladder holder

Length	Kg	Part.No
2400	5,5	T8900

Store your ladder on the inside of the roof, pull it back to the rear door in a simple operation. The aluminum rail comes in two parts with a joining piece.

Hose/Cable rack

Depth	Width	Height	Kg	Part.No
79	267	168	0,5	4077

Tube holder

66	194	123	0,4	4349



Universal hook

Depth	Width	Height	Kg	Part.No
85	80	100	0,2	4356
61	83	55	0,1	4357

Simplicity at its best, heavy duty hooks, to be mount on a pegboard or hang it on the edge of a shelf.





Plastic bin for shelves

Depth	Width	Height	Kg	Part.No
300	145	154	0,4	3050
300	235	154	0,5	3052
470	145	154	0,5	3055
470	235	154	0,5	3057

Transparant lid for plastic bins

Depth	Width	Fits	Kg	Part.No
300	150	3050	0,2	3060
300	240	3052	0,2	3062
470	150	3055	0,2	3065
470	240	3057	0,4	3067

Dividers for plastic bins

	Width	Height	Fits	Part.No
	140	154	3050 ,55	3070
	230	154	3052, 57	3072

Bracket for dropfront shelves

Depth	Kg	Part.No
300	0,1	3081
470	0,2	3082



Clothes hook

Depth	Width	Height	Kg	Part.No
31	295	40	0,3	2706
31	465	40	0,5	2708

We call it a clothes hook but, needless to say, you can use it to hang up whatever you want on it.

Strap with brackets

Information	Width	Part.No
1200 mm, nylon strap	25	4365
1000 mm, elastic strap	25	4366

The brackets will fit on our pegboards.

ACCESSORIES





Pos.	Description
1	Universal hook
2	Cable/Hose rack
3	Pegboard basket
4	Vice and holders
5	Case support
6	Plastic bins
7	Drawer inserts
8	Shelf dividers
9	Tool case/File holder
10	Tool case
11	Gas bottle holders
12	Can/Tube holder

Accessory package No. 1	Accessory package No. 2	Accessory package No. 3
		
Art.No	**Art.No**	**Art.No**
F11001	F11002	F11004
Pegboard not included.	*Pegboard not included.*	*Pegboard not included.*

For more information:
www.systemedstrom.ie

Up to 5 years warranty

Crash tested

Made in Sweden

SYSTEM EDSTRÖM

System Edström IRELAND
1-4 Block L, Grants Road,
Greenogue Business Park,
Rathcoole, Dublin, D24PP28

CONTACT
Email: sales@systemedstrom.ie
support@systemedstrom.ie

2022-05A